

HYMATO PRODUCTS Production & Trade Ltd.

- Official residence: H-8225 Szentkirályszabadja, Kossuth L. u. 33, Hungary
- Phone/Fax: +36 88 782 701
- E-mail: info@hymato.hu • Website: www.hymato.hu
- Reg. No.: 19-09-510482 • VAT: HU14362189



CERTIFICATE OF ANALYSIS HUMINIQUUM CAPSULES



Food Supplement Powder, Registration No: 8642/2011 OETI

HYMATO PRODUCTS Ltd., H-8225 Szentkirályszabadja, Kossuth u.33., Hungary,

Document identifier: NQ9LA2500039	Date of manufacture: 12.09.2017.
Customer: Uni Vita AS	Batch No: 12.09.2019. HC

Typical analysis of product:

Appearance:	black powder
Odor:	no typical odor
Powder dry matter:	92-95 %

Components

Quantity in 300 mg (1 capsule)

Fulvic acid	120,0	mg	
Humic acid	50,0	mg	
Vitamin-C	41,0	mg	
Milky Thistle extract	21,0	mg	
Silicon (Si)	4,1	mg	
Iron (Fe)	1,8	mg	
Zinc (Zn)	1,3	mg	
Manganese (Mn)	0,4	mg	
Copper (Cu)	0,11	mg	
Boron (B)	0,05	mg	
Iodine (I)	0,012	mg	
Molybdenum (Mo)	0,012	mg	
Selenium (Se)	0,012	mg	
Chromium (Cr)	0,010	mg	

Heavy metals contained satisfied the EU food standards

The product filled in to vegetal gelatin (HPMC) capsules

Microbiological analysis of products

	<u>Specification</u>	<u>Result</u>	<u>Method</u>
Total plate count:	1000 cfu/g	<10 cfu/g	MSZ EN ISO 483:2003
Total yeast & mold:	100 cfu/g	<1 cfu/g	ISO 21527-2:2007
<i>E. coli</i> :	<1 cfu/g	0 cfu/g	MSZ ISO 16649-2:2005
<i>Salmonella</i> :	0 cfu /25g	0 cfu/25 g	MSZ EN ISO 6579:2006

Application:

Product can be used for human applications! Informations about use can be found on the package.

Packing:

120 filled capsules in a Huminiquum designed plastic bottle. The bottle is sealed with a tamper-proof cap. The sealed bottle is protected by a Huminiquum designed cardboard.

Expiration date:

Two years from the manufacturing.

Expiration date :.....

HYMATO Products Ltd. certifies that statements included in this certificate are valid. The product was manufactured according to HACCP (reg.no: 18 1108), ISO 9001 (MSZ EN ISO 9001 2009 NQA reg. no.: 51179) and cosmetic GMP (MSZ EN ISO 22716:2008 reg. no.: GMPA01-1602) system. Analysis was performed by ICP method and also with XRF methods.

<p>Date of certification:</p> <p style="text-align: center;">14.12.2017.</p>	<p>Authenticated:</p> <p style="text-align: center;"> ----- Gábor Goda <i>quality assurance manager</i> </p>
--	--